CONTENTS OF VOLUME 7

Abram, D. and Gibbons, N. E. The effect of chlorides of monovalent cations, urea, detergents, and heat on morphology and the turbidity of suspensions of red halophilic bacteria, 741.

Alexander, M. See Lange, R. T., 959; Marshall, K. C., 955.

Amies, C. R. Loss of immunogenic properties of vaccinia virus inactivated by formaldehyde,

Anderson, A. W. See Duryee, F. L., 799.

Audette, R. C. S., Baxter, R. M., and Walker, G. C. A study of the lipid content of Trichophyton mentagrophytes, 282.

Bailey, W. R. See Glynn, J. P., 907, 915.

Bailey, W. R. and Glynn, J. P. Lysogeny in enteropathogenic Escherichia coli. I. General

characteristics of bacteriophages isolated from O26:B6 and O111:B4 serotypes, 901.

Baker, G. E. See Potter, L. F., 595.

Bakerspigel, A. Haplomycosis (Adiaspiromycosis) in Sorex, 676.

Barnes, E. H. and Williams, E. B. The role of phloridzin in the host-parasite physics of the opple scept disease.

The role of phloridzin in the host-parasite physiology

of the apple scab disease, 525.

Bates, J. L. See Liu, P. V., 107.

Baxter, R. M. See Audette, R. C. S., 282.

Beskid, G. and Lundgren, D. G. Biochemical changes occurring in a minimal medium during growth and sporulation: Comparison of sporogenic Bacillus cereus with asporogenic mutants, 543.

Bird, F. T. The development of *Tipula* iridescent virus in the crane fly, *Tipula paludosa*

Meig., and the wax moth, Galleria mellonella L., 827.

Blakley, E. R. and Ciferri, O. Oxidation of gluconate, 2-deoxy-D-glucose, and lactic acid by an enzyme preparation from Aerobacter aerogenes, 61.

Bleiweis, A. S. and Zimmerman, L. N. Formation of two types of osmotically fragile bodies from Streptococcus faecalis var. liquefaciens, 363. menthal, H. J. See Goldman, M., 677.

Blumenthal, H. J.

Bollen, W. B. and Wright, E. Microbes and nitrates in soils from virgin and young-growth forests, 785. Borrow, A., Jefferys, E. G., Kessell, R. H. J., Lloyd, E. C., Lloyd, P. B., and Nixon, I. S.

The metabolism of Gibberella fujikuroi in stirred culture, 227.

Boudreault, A. and Pavilanis, V. Relations entre les propriétés cytopathogéniques, hémadsorbantes et hémagglutinantes du virus de l'influenza, 347.

Étude du virus de l'influenza: antigénicité de souches grippales adaptées à des cultures

de tissus, 467.

Bretz, H. W. Death of Escherichia coli frozen on cellophane and on membrane filters, 793.

Bucher, G. E. Artificial culture of Clostridium brevifaciens n. sp. and C. malacosomae n. sp., the causes of brachytosis of tent caterpillars, 641.

Burton, A. N., Connell, R., Rempel, J. G., and Gollop, J. B. Studies on Western equine encephalitis associated with wild ducks in Saskatchewan, 295.

Bynoe, E. T. See Tennant, A. D., 733.

Campbell, J. J. R. See Strasdine, G. A., 91.

Campbell, J. N. See Strasdine, G. A., 91.

Capriotti, A. Torulopsis vartiovaarai sp. nov. A new yeast isolated from Finnish soil, 681.

Cater, J. C. and Redmond, W. B. Isolation of and studies on bacteriophage active against mysolacteria 697. mycobacteria, 697

Chan, E. C. S. and Katznelson, H. Growth interactions of Arthrobacter globiformis and

Chan, E. C. S. and Katznelson, H. Growth interactions of Arthropacter globy orms and Pseudomonas sp. in relation to the rhizosphere effect, 759.
 Chesbro, W. R. Lysozyme and the production of osmotic fragility in enterococci, 952.
 Chu, Y-c. See Grula, E. A., 27.
 Ciferri, O. See Blakley, E. R., 61.
 Clark, D. S. and Lentz, C. P. Submerged citric acid fermentation of sugar beet molasses:
 Effect of pressure and recirculation of oxygen, 447.

 Claman M. T. Effects of freezing freeze-driving and storage in the freeze-dried and frozen.

Clement, M. T. Effects of freezing, freeze-drying, and storage in the freeze-dried and frozen state on viability of Escherichia coli cells, 99.

Cleverdon, R. C. See Girard, A. E., 407.

Colvin, J. R. See Millman, B., 383.

Connell, R. See Burton, A. N., 295.

Costerton, J. W. F., Murray, R. G. E., and Robinow, C. F. Observations on the motility and the structure of Vitresscilla. 329.

and the structure of Vitreoscilla, 329

Cousineau, J. G. and McKiel, J. A. In vitro sensitivity of Leptospira to various antimicrobial agents, 751.

Crisley, F. D. and Helz, G. E. Some observations of the effect of filtrates of several representative concomitant bacteria on Clostridium botulinum type A, 633.

Deal, S. J. and Lichstein, H. C. Malic enzyme induction by lactic acid bacteria. I. A method for the study of nutritional interactions, 153.

Delwiche, E. A. See Yousten, A. A., 889.

DeMoss, R. D. See Unger, L., 844.

Dempster, G. See Grodums, E. I., 175.

Dempster, G., Grodums, E. I., and Spencer, W. A. Experimental Coxsackie B-3 infection in the hibernating squirrel and bat, 587

Domnas, A. Amide metabolism in yeast. III. Aliphatic amide metabolism in Candida utilis, 657.

Drobník, J. Primary oxidation of some organic compounds in remoistened air-dried soil, 769. Duerre, J. A. and Lichstein, H. C. Malic enzyme induction by lactic acid bacteria. II. Purine and pyrimidine requirements, 217.

Durham, N. N. and Leach, K. Inhibition of a microbial glucose-6-phosphate dehydrogenase

by diethylstilbestrol, 75.

Duryee, F. L., Raj, H. D., Wang, C. H., Anderson, A. W., and Elliker, P. R. Carbohydrate metabolism in *Micrococcus radiodurans*, 799.

Elkan, G. H. A nodulation-inhibiting root excretion from a non-nodulating soybean strain, 851.

Elliker, P. R. See Duryee, F. L., 799.
Erdman, I. E., Thatcher, F. S., and MacQueen, K. F. Studies on the irradiation of microorganisms in relation to food preservation. I. The comparative sensitivities of specific bacteria of public health significance, 199. Studies on the irradiation of microorganisms in relation to food preservation. II.

Irradiation resistant mutants, 207.

Erwin, D. C. and Katznelson, H. Studies on the nutrition of Phytophthora cryptogea, 15. Suppression and stimulation of mycelial growth of *Phytophthora cryptogea* by certain thiamine-requiring and thiamine-synthesizing bacteria, 945.

Evelyn, T. P. T. and McDermott, L. A. Bacteriological studies of fresh-water fish. I. Isola-

tion of aerobic bacteria from several species of Ontario fish, 375.

Ewing, W. H. and Johnson, J. G. Intersubgroup and intrasubgroup antigenic relationships within the genus Shigella: subgroup A, 303.

Farkas-Himsley, H. Effect of anaerobiosis on the emergence of streptomycin-resistant

bacteria, 411. Fredette, V. See Martineau, B., 671

Gadebusch, H. H. and Johnson, J. D. Specific degradation of Cryptococcus neoformans 3723 capsular polysaccharide by a microbial enzyme. I. Isolation, partial purification, and properties of the enzyme, 53.

Gershman, M. Use of a tetrazolium salt for an easily discernible KCN reaction, 286. Gershon, D. Genetic studies of effective nodulation in *Lotus* spp., 961. Gibbons, N. E. See Abram, D., 741; Kates, M., 427.

Gibbons, N. E. and Payne, J. I. Relation of temperature and sodium chloride concentration to growth and morphology of some halophilic bacteria, 483.

Girard, A. E. and Cleverdon, R. C. A staining procedure for the flagella of some agarolytic

bacteria, 407.

Glynn, J. P. See Bailey, W. R., 901.

Glynn, J. P. and Bailey, W. R. Lysogeny in enteropathogenic Escherichia coli. II. Characterization of E. coli bacteriophage D-1, 907.

Lysogeny in enteropathogenic Escherichia coli. III. The effects of temperature and chloramphenicol on the lysogeny of D-1 phage-infected cells, 915.

Goldman, M. and Blumenthal, H. J. Arrest of bacterial spores in stages of postgermin-

ative development, 677.

Goldner, M. See Rhodes, H. K., 355.
Goldner, M. and Wilson, R. J. Preparation of cell-free staphylococcal penicillinase con-Goldner, M. and Wilson, R. J. Preparation of cell-free staphylococcal penicillinase concentrate, 45.

Gollop, J. B. See Burton, A. N., 295.
Gordon, R. E. and Mihm, J. M. The specific identity of Jensenia canicruria, 108.
Gorham, P. R. See McLachlan, J., 869.
Gorin, P. A. J. See Spencer, J. F. T., 185.
Graf, G. See Martin, M. E., 341.
Gregory, J. See Tanner, C. E., 473.
Grodums, E. I. See Dempster, G., 587.
Grodums, E. I. and Dempster, G. Encephalitis in experimental coxsackie B-3 infection,

Grula, E. A., Luk, S-k., and Chu, Y-c. Chemically defined medium for growth of Micrococcus lysodeikticus, 27.

Hagen, P.-O., and Rose, A. H. A psychrophilic Cryptococcus, 287.
Hauschild, A. H. W. and Pivnick, H. Continuous culture of Brucella abortus S. 19, 491.
Hawirko, R. Z. and Wong, F. C. C. Active components of antiglobulin sera reacting with red cells sensitized with natural and immune anti-A haemagglutinins, 189. G. W., Westlake, D. W. S., and Simpson, F. J. Degradation of rutin by Aspergillus

flavus. Purification and characterization of rutinase, 921.

Helz, G. E. See Crisley, F. D., 663. Henderson, V. E. and Katznelson, H. The effect of plant roots on the nematode population of the soil, 163.

is, Y., Keller, P., and Keynan, A. Inhibition of fungal growth by bacteria during cellulose-decomposition, 857. Herr, L. J., Weaver, C. R., and Horst, R. K. A soil dilution procedure applicable to rhizo-

sphere microorganism assays, 277. **Hochster, R. M.** and **Nozzolillo, C. G.** The breakdown of ribonucleosides in extracts of the phytopathogenic organism Xanthomonas phaseoli, 389.

Hogenkamp, H. P. C. See Strasdine, G. A., 91.

Horst, R. K. See Herr, L. J., 277.

Howlett, W. See Mandels, M., 957.

Ibanez, M. L. and Lindstrom, E. S. Comparative studies with the photooxidase of

Rhodospirillum, 85.

Knodospirillum, 85.

Isa, J. M. See Savage, A., 677.

Jefferys, E. G. See Borrow, A., 227.

Johnson, J. D. See Gadesbusch, H. H., 53.

Johnson, J. G. See Ewing, W. H., 303.

Juhasz, S. E. Fusion of granules of mycobacteria and its possible genetic significance, 832.

Kates, M., Sehgal, S. N., and Gibbons, N. E. The lipid composition of Micrococcus hallowing from a configurated by self-concentration, 427.

halodenitrificans as influenced by salt concentration, 427.

Katznelson, H. See Chan, E. C. S., 759; Erwin, D. C., 15, 945; Henderson, V. E., 163.

Katznelson, H. and Strzelczyk, E. Studies on the interaction of plants and free-living nitrogen-fixing microorganisms. I. Occurrence of Azotobacter in the rhizosphere of crop plants, 437.

Kelen, A. E. See Labzoffsky, N. A., 715. Keller, P. See Henis, Y., 857. Kessell, R. H. J. See Borrow, A., 227.

Keynan, A. See Henis, Y., 857. Khan, A. W. and Walker, T. K. Fat production from cane molasses by Penicillium spinulosum: A study on substances in cane molasses interfering with fat production, 895.
Kingscote, B. Use of catalase in the culture of Vibrio fetus, 951.

Kuehn, H. H. See Zajic, J. E., 119; 807.
 Labzoffsky, N. A. and Kelen, A. E. New complement fixing antigen for serodiagnosis of gonorrhoea, 715.

gonormoea, 115.

Lange, R. T. and Alexander, M. Anomalous infections by Rhizobium, 959.

Lata, M. See Sanwal, B. D., 319.

Leach, K. See Durham, N. N., 75.

Ledingham, G. A. See Reisener, H. J., 865.

Lentz, C. P. See Clark, D. S., 447.

Lesley, S. M. Degradation of the polysaccharide of Xanthomonas phaseoli by an extracellular bacterial enzyme 815. bacterial enzyme, 815.

Lichstein, H. C. See Deal, S. J., 153; Duerre, J. A., 217. Lindblom, G. P. See Lupton, M. D., 831. Lindstrom, E. S. See Ibanez, M. L., 85.

Liu, P. V. and Bates, J. L. An extracellular haemorrhagic toxin produced by Listeria

monocytogenes, 107.

Lloyd, E. C. See Borrow, A., 227.
Lloyd, P. B. See Borrow, A., 227.
Luk, S-k. See Grula, E. A., 27.
Lundgren, D. G. See Beskid, G., 543.
Lupton, M. D., Whitlock, D. W., and Lindblom, G. P. A simple technique for freezedrying anaerobes, 831.

McConnell, W. B. See Reisener, H. J., 865.

McDermott, L. A. See Evelyn, T. P. T., 375; Musgrave, A. J., 842.

McDonald, I. J. Proteinase production in relation to growth of a Micrococcus species, 111.

McKiel, J. A. See Cousineau, J. G., 751.

McLachlan, J. The effect of salinity on growth and chlorophyll content in representative

1

classes of unicellular marine algae, 399.

McLachlan, J. and Gorham, P. R. Growth of Microcystis aeruginosa Kütz. in a precipitate-free medium buffered with TRIS, 869.

MacQueen, K. F. See Erdman, I. E., 199, 207.

MacRae, I. C. See Skerman, V. B. D., 169.

Madhosingh, C. The metabolic detoxication of 2,4-dinitrophenol by Fusarium oxysporum,

Mandels, M. See Reese, E. T., 309.

Mandels, M., Howlett, W., and Reese, E. T. Natural inhibitors of cellulase, 957.

Marshall, K. C. and Alexander, M. Fungi active in heterotrophic nitrification, 955.

Martin, M. E., Wayman, M., and Graf, G. Fermentation of sulphite waste liquor to produce organic acids, 341.

Martineau, B. and Fredette V. A simplified method for determining the sensitivity of

anaerobic bacteria to antibiotics, 671.

Mattman, L. H., Tunstall, L. H., and Rossmoore, H. W. Induction and characteristics of staphylococcal L forms, 705.

Meerovitch, E. Growth of Entamoeba invadens in organotypic cultures of embryonic chick intestine, 685.
Mihm, J. M. See Gordon, R. E., 108.
Millman, B. and Colvin, J. R. The formation of cellulose microfibrils by Acetobacter xylinum

on agar surfaces, 383.

Monro, H. A. U. See Musgrave, A. J., 280.

Murray, R. G. E. See Costerton, J. W. F., 329.

Musgrave, A. J. and McDermott, L. A. Some media used in an attempt to isolate and

culture the mycetomal microorganisms of Silophilus weevils, 842.

Musgrave, A. J., Monro, H. A. U., and Upitis, E. Apparent effect of **agrave, A. J., Monro, H. A. U.,** and **Upitis, E.** Apparent effect on the mycetomal microorganisms of repeated exposure of the host insect, *Sitophilus granarius* (L.) (Coleoptera), to methyl bromide fumigation, 280. Effect of size of inocula on the growth of Shigella sonnei in

Nakamura, M. and Pitsch, B. L. Es a chemically defined medium, 848.

Newton, J. D. See Paul, E. A., 7.
Nixon, I. S. See Borrow, A., 227.
Nozzolillo, C. G. See Hochster, R. M., 389.
Parag, Y. Sensitivity of Schizophyllum commune to chemical toxicants, 838.
Parrish, F. W. See Reese, E. T., 309.

Paul, E. A. and Newton, J. D. Studies of aerobic non-symbiotic nitrogen-fixing bacteria, 7.

Pavilanis, V. See Boudreault, A., 347, 467. Payne, J. I. See Gibbons, N. E., 483. Perry, J. J. The effect of fatty acids on gro The effect of fatty acids on growth and antibiotic production by Streptomyces,

Peterson, E. A. Observations on the influence of plant illumination on the fungal flora of

roots, 1.

Pickett, M. J. See Rauch, H. C., 125.

Pitsch, B. L. See Nakamura, M., 848.

Pivnick, H. See Hauschild, A. H. W., 491.

Polley, J. R. Preparation of non-infective soluble antigens with gamma radiation, 135. Factors influencing inactivation of infectivity and hemagglutinin of influenza virus by gamma radiation, 535.

Potter, L. F., and Baker, G. E. The role of fish as conveyors of microorganisms in aquatic environments, 595.

environments, 595.
Quadling, C. See Takahashi, I., 455.
Rahman, A. K. M. M. See Unger, L., 844.
Raj, H. D. See Duryee, F. L., 799.
Rauch, H. C. and Pickett, M. J. Bordetella bronchiseptica bacteriophage, 125.
Redmond, W. B. See Cater, J. C., 697.
Reese, E. T. See Mandels, M., 957.
Reese, E. T., Parrish, F. W., and Mandels, M. β-D-1,2-Glucanases in fungi, 309.
Reid, J. E. See Tennant, A. D., 725, 733.
Reisener, H. J., McConnell, W. B., and Ledingham, G. A. Effect of short-chain fatty acids on respiration of wheat stem rust uredospores, 865. acids on respiration of wheat stem rust uredospores, 865.

Rempel, J. G. See Burton, A. N., 295.
de Repentigny, J. See Sonea, S., 835.
Rhodes, H. K., Goldner, M., and Wilson, R. J. Immunological studies on staphylococcal penicillinases, 355.

Robinow, C. F. See Costerton, J. W. F., 329. Rockwell, L. J. See Tennant, A. D., 733.

Rose, A. H. See Hagen, P.-O., 287.
Rossmoore, H. W. See Mattman, L. H., 705.
Sanwal, B. D. and Lata, M. The occurrence of two different glutamic dehydrogenases in Neurospora, 319.

Neurospora, 319.

Savage, A. and Isa, J. M. Pseudoflagellates in films of canine blood, 677.

Sehgal, S. N. See Kates, M., 427.

Shug, A. L. See Westlake, D. W. S., 515.

Silver, W. S. See Sommer, E. C., 577.

Simpson, F. J. See Hay, G. W., 921; Westlake, D. W. S., 33.

Skerman, V. B. D. and MacRae, I. C. The influence of oxygen on the form Skerman, V. B. D. and MacRae, I. C. The influence of oxygen on the formation of nitratase in *Pseudomonas denitrificans*, 169.
 Sommer, E. C., Silver, W. S., and Vining, L. C. Studies of pigmentation by *Pseudo-*

monas indigofera, 577.

Sonea, S. and de Repentigny, J. Techniques for the standardization of fluorescent anti-bodies used in diagnostic microbiology, 835.
 Southcott, B. A. and Tarr, H. L. A. Magnesium as a factor in determining the comparative

sensitivity of marine bacteria to four tetracycline antibiotics, 284.

Spencer, J. F. T. and Gorin, P. A. J. Physiologically active gums produced by Corynebacterium insidiosum and Corynebacterium sepedonicum, 185.

Spencer, W. A. See Dempster, G., 587.

Strasdine, G. A., Campbell, J. J. R., Hogenkamp, H. P. C., and Campbell, J. N. Substrate-dependent phosphorylation in resting cells of Pseudomonas aeruginosa, 91.

Strzelczyk, E. Studies on the interaction of plants and free-living nitrogen-fixing microorganisms. II. Development of antagonists of Azotobacter in the rhizosphere of plants at different stages of growth in two soils, 507. See also Katznelson, H., 437.

Stevenson, I. L. Growth studies on Arthrobacter globiformis, 569.

Natural synchronization of a vitamin-B₁₂-requiring Arthrobacter sp., 667. **Takahashi, I.** and **Quadling, C.** Lysogeny in Rhizobium trifolii, 455.

Tamimi, H. A. Effect of Seitz filtration on extracellular staphylocoagulase, 674.

Tanner, C. E. and Gregory, J. Immunochemical study of the antigens of Trichinella spiralis. I. Identification and enumeration of antigens, 473.

spiralis. I. Identification and enumeration of antigens, 475.
Tarr, H. L. A. See Southcott, B. A., 284.
Tennant, A. D. and Reid, J. E. Coliform bacteria in sea water and shellfish. I. Lactose fermentation at 35.5° and 44° C, 725.
Tennant, A. D., Reid, J. E., Rockwell, L. J., and Bynoe, E. T. Coliform bacteria in sea water and shellfish. II. The E. C. confirmation test for Escherichia coli, 733.
Thatcher, F. S. See Erdman, I. E., 199, 207.
Tunstall, L. H. See Mattman, L. H., 705.
Unger, L., Rahman, A. K. M. M., and DeMoss, R. D. Anaerobic dissimilation of glucose

Unger, L., Rahman, A. K. M. M., and DeMoss, R. D. Anaerobic dissimilation of glucose by Vibrio comma, 844

Upitis, E. See Musgrave, A. J., 280. Vining, L. C. See Sommer, E. C., 577.

de Waart, C. Some aspects of phosphate metabolism of Claviceps purpurea (Fr.) Tul. II. Relationship between nucleic acids synthesis and ergot alkaloid production, 883.

Walker, G. C. See Audette, R. C. S., 282.

Walker, T. K. See Khan, A. W., 895.

Wang, C. H. See Duryee, F. L., 799.

Ward, E. W. B. The vitamin requirements of Ophiobolus graminis Sacc., 423.

Wayman, M. See Martin, M. E., 341.

Weaver, C. R. See Herr, L. J., 277.
 Webb, S. J. Factors affecting the viability of air-borne bacteria. IV. The inactivation and reactivation of air-borne Serratia marcescens by ultraviolet and visible light, 607.

Factors affecting the viability of air-borne bacteria. V. The effect of desiccation on some metabolic systems of Escherichia coli, 621.

Westlake, D. W. S., Shug, A. L., and Wilson, P. W. The pyruvic dehydrogenase system of Clostridium pasteurianum, 515.

Westlake, D. W. S. and Simpson, F. J. Degradation of rutin by Aspergillus flavus. Factors

affecting production of the enzyme system, 33.

Whitlock, D. W. See Lupton, M. D., 831.

Wiley, B. B. A new virulence test for Staphylococcus aureus and its application to encap-

sulated strains, 933.

Williams, E. B. See Barnes, E. H., 525.
Wilson, P. W. See Westlake, D. W. S., 515.
Wilson, R. J. See Goldner, M., 45; Rhodes, H. K., 355.
Wong, F. C. C. See Hawirko, R. Z., 189.
Wright, E. See Bollen, W. B., 785.
Yousten, A. A. and Delwiche, E. A. Factors involved in the bacterial decarboxylation of

succinic acid, 889.

Zajic, J. E. and Kuehn, H. H. Use of beta-ionone in enrichment cultures for isolating Paracolobactrum and certain fungi from soil, 119.

Influence of insect lures on hyphal growth and sporulation of Choanephora trispora,

Zimmerman, L. N. See Bleiweis, A. S., 363. Zygmunt, W. A. Studies of chloroacetyl derivatives as bacterial antagonists, 833.

